

_	
Pro	IECT:
1 1 0	CCL.

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:







Cascade

PD-41819

PRODUCT DESCRIPTION

A new aged brass finish updates the original Cascade design for a more refined take on minimalist glam. Each pendant illuminates bountifully while the etched caps punctuate each piecelike a chic yet understated exclamation of luxury.

FEATURES

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- CNC precision-cut etched diffuser
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling

SPECIFICATIONS

Rated Life 50000 Hours

Standards ETL, cETL, Damp Location Listed

Input 120-277V,50/60Hz

Driver Dimension 2.8" x 1.3" x 1.2"

 Dimming
 ELV

 Color Temp
 3500K

 CRI
 90

Construction Steel body with acrylic diffuser


REPLACEMENT PARTS

RPL-GLA-41819 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-41819 19"	3500K	AB Aged Brass	7.4W	428	420
	3500K	BK Black	7.4W	428	420
	3500K	PN Polished Nickel	7.4W	428	420

Example: PD-41819-PN

For custom requests please contact customs@modernforms.com



_	
Pro	IECT:
1 1 0	CCL.

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:







Cascade

PD-41828

PRODUCT DESCRIPTION

A new aged brass finish updates the original Cascade design for a more refined take on minimalist glam. Each pendant illuminates bountifully while the etched caps punctuate each piecelike a chic yet understated exclamation of luxury.

FEATURES

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- CNC precision-cut etched diffuser
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling

SPECIFICATIONS

Rated Life 50000 Hours

Standards ETL, cETL, Damp Location Listed

Input 120-277V,50/60Hz

Driver Dimension 2.8" x 1.3" x 1.2"

 Dimming
 ELV

 Color Temp
 3500K

 CRI
 90

Construction Steel body with acrylic diffuser


REPLACEMENT PARTS

RPL-GLA-41819 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-41828 28"	3500K	AB Aged Brass	7.4W	428	420
	3500K	BK Black	7.4W	428	420
	3500K	PN Polished Nickel	7.4W	428	420

Example: PD-41828-PN

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:







Cascade

PD-41837

PRODUCT DESCRIPTION

A new aged brass finish updates the original Cascade design for a more refined take on minimalist glam. Each pendant illuminates bountifully while the etched caps punctuate each piecelike a chic yet understated exclamation of luxury.

FEATURES

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- CNC precision-cut etched diffuser
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Can be mounted on a sloped ceiling

SPECIFICATIONS

Rated Life 50000 Hours

Standards ETL, cETL, Damp Location Listed

Input 120-277V,50/60Hz

Driver Dimension 2.8" x 1.3" x 1.2"

 Dimming
 ELV

 Color Temp
 3500K

 CRI
 90

Construction Steel body with acrylic diffuser

REPLACEMENT PARTS

RPL-GLA-41819 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
PD-41837 37"	3500K	AB Aged Brass	7.4W	428	420
	3500K	BK Black	7.4W	428	420
	3500K	PN Polished Nickel	7.4W	428	420

Example: PD-41837-PN

For custom requests please contact customs@modernforms.com