


Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Blaze

WS-30612

PRODUCT DESCRIPTION


Whether you choose a single Blaze for a shimmering ceiling mount or mount multiple sizes together for a dramatic wall sconce display, Blaze ignites your décor with its hand-leaved finishes and warm, indirect illumination emanating from high-performance LEDs.

FEATURES

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- Hand-leaved interior
- ADA compliant (only 12" and 18" sizes only)

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL, Damp Location Listed, ADA
Input	120-277V, 50/60Hz
Driver Dimension	2.8" x 1.3" x 1.2"
Dimming	ELV
Mounting	Can be mounted on ceiling or wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware with Hand crafted Gold Leaf finish, Aluminum hardware with Hand crafted Silver Leaf finish



WS-30612


REPLACEMENT PARTS

RPL-GLA-30612 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-30612 12"	3000K	GL Gold Leaf	10.5W	787	250
	3000K	SL Silver Leaf	10.5W	787	250

Example: **WS-30612-SL**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Blaze

WS-30618

PRODUCT DESCRIPTION


Whether you choose a single Blaze for a shimmering ceiling mount or mount multiple sizes together for a dramatic wall sconce display, Blaze ignites your décor with its hand-leafed finishes and warm, indirect illumination emanating from high-performance LEDs.

FEATURES

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- Hand-leafed interior
- ADA compliant (only 12" and 18" sizes only)

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL, Damp Location Listed, ADA
Input	120-277V, 50/60Hz
Driver Dimension	2.8" x 1.3" x 1.2"
Dimming	ELV
Mounting	Can be mounted on ceiling or wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware with Hand crafted Gold Leaf finish, Aluminum hardware with Hand crafted Silver Leaf finish



WS-30618


REPLACEMENT PARTS

RPL-GLA-30618 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-30618 18"	3000K 3000K	GL Gold Leaf SL Silver Leaf	25W 25W	1979 1979	605 605

Example: **WS-30618-SL**

For custom requests please contact customs@modernforms.com




Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Blaze

WS-30624

PRODUCT DESCRIPTION


Whether you choose a single Blaze for a shimmering ceiling mount or mount multiple sizes together for a dramatic wall sconce display, Blaze ignites your décor with its hand-leafed finishes and warm, indirect illumination emanating from high-performance LEDs.

FEATURES

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- Hand-leafed interior
- ADA compliant (only 12" and 18" sizes only)

SPECIFICATIONS

Rated Life	50000 Hours
Standards	ETL, cETL, Damp Location Listed
Input	120-277V, 50/60Hz
Driver Dimension	2.8" x 1.3" x 1.2"
Dimming	ELV
Mounting	Can be mounted on ceiling or wall in all orientations
Color Temp	3000K
CRI	90
Construction	Aluminum hardware with Hand crafted Silver Leaf finish, Aluminum hardware with Hand crafted Gold Leaf finish



WS-30624

REPLACEMENT PARTS

RPL-GLA-30624 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-30624 24"	3000K	GL Gold Leaf	31W	2392	700
	3000K	SL Silver Leaf	31W	2392	700

Example: **WS-30624-SL**

For custom requests please contact customs@modernforms.com