



WS-30612

## Project:

#### Location:

## Fixture Type:

## Catalog Number:

#### **AVAILABLE FINISHES:**





# Blaze

WS-30612

#### PRODUCT DESCRIPTION

Whether you choose a single Blaze for a shimmering ceiling mount or mount multiple sizes together for a dramatic wall sconce display, Blaze ignites your décor with its handleafedfinishes and warm, indirect illumination emanating from high-performance LEDs.

## **FEATURES**

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- · Hand-leafed interior
- ADA compliant (only 12" and 18" sizes only)

## **SPECIFICATIONS**

Rated Life 50000 Hours

Standards ETL, cETL, Damp Location Listed, ADA

Input 120-277V,50/60Hz
Driver Dimension 2.8" x 1.3" x 1.2"

Dimming ELV

Mounting Can be mounted on ceiling or wall in all orientations

 Color Temp
 3000K

 CRI
 90

Construction Aluminum hardware with Hand crafted Gold Leaf finish, Aluminum

hardware with Hand crafted Silver Leaf finish

#### REPLACEMENT PARTS

RPL-GLA-30612 - Glass


Model & Size	Color Temp	Finish	LED Watts	<b>LED Lumens</b>	<b>Delivered Lumens</b>
WS-30612 12"	3000K	GL Gold Leaf	10.5W	787	250
	3000K	SL Silver Leaf	10.5W	787	250

Example: WS-30612-SL

For custom requests please contact customs@modernforms.com







WS-30618

## Project:

#### Location:

## Fixture Type:

## Catalog Number:

#### **AVAILABLE FINISHES:**





# Blaze

WS-30618

#### PRODUCT DESCRIPTION

Whether you choose a single Blaze for a shimmering ceiling mount or mount multiple sizes together for a dramatic wall sconce display, Blaze ignites your décor with its handleafedfinishes and warm, indirect illumination emanating from high-performance LEDs.

## **FEATURES**

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- · Hand-leafed interior
- ADA compliant (only 12" and 18" sizes only)

## **SPECIFICATIONS**

Rated Life 50000 Hours

Standards ETL, cETL, Damp Location Listed, ADA

Input 120-277V,50/60Hz
Driver Dimension 2.8" x 1.3" x 1.2"

Dimming ELV

Mounting Can be mounted on ceiling or wall in all orientations

 Color Temp
 3000K

 CRI
 90

Construction Aluminum hardware with Hand crafted Gold Leaf finish, Aluminum

hardware with Hand crafted Silver Leaf finish

#### REPLACEMENT PARTS


RPL-GLA-30618 - Glass

Model & Size	Color Temp	Finish	LED Watts	<b>LED Lumens</b>	<b>Delivered Lumens</b>
WS-30618 18"	3000K	GL Gold Leaf	25W	1979	605
	3000K	SL Silver Leaf	25W	1979	605

Example: WS-30618-SL

For custom requests please contact customs@modernforms.com





WS-30624

## Project:

Location:

Fixture Type:

Catalog Number:

#### **AVAILABLE FINISHES:**





# Blaze

WS-30624

#### PRODUCT DESCRIPTION

Whether you choose a single Blaze for a shimmering ceiling mount or mount multiple sizes together for a dramatic wall sconce display, Blaze ignites your décor with its handleafedfinishes and warm, indirect illumination emanating from high-performance LEDs.

## **FEATURES**

- Driver installed within the Junction Box, driver dimension: 2.8" x 1.3" x 1.2"
- · Hand-leafed interior
- ADA compliant (only 12" and 18" sizes only)

## **SPECIFICATIONS**

Rated Life 50000 Hours

Standards ETL, cETL, Damp Location Listed

 Input
 120-277V,50/60Hz

 Driver Dimension
 2.8" x 1.3" x 1.2"

Dimming ELV

Mounting Can be mounted on ceiling or wall in all orientations

 Color Temp
 3000K

 CRI
 90

**Construction** Aluminum hardware with Hand crafted Silver Leaf finish, Aluminum

hardware with Hand crafted Gold Leaf finish

#### REPLACEMENT PARTS

RPL-GLA-30624 - Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	<b>Delivered Lumens</b>
WS-30624 24"	3000K	GL Gold Leaf	31W	2392	700
	3000K	SL Silver Leaf	31W	2392	700

Example: WS-30624-SL

For custom requests please contact customs@modernforms.com