



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Seismic

WS-46518

PRODUCT DESCRIPTION

An open-grid structure with classic architectural styling is accented with braces and struts, creating an elaborate base with a mitered glass diffuser for a softer, flattering illumination. Groundbreaking LEDs with a superior lifespan feature excellent color rendering properties, making Seismic a refined addition to your bath or spa.

FEATURES


- 277V option available for special order.
- ACLED driverless technology
- Stainless steel construction
- White ceramic silk-screened mitered glass

SPECIFICATIONS

Rated Life	80000 Hours
Standards	ETL, cETL, Damp Location Listed, ADA
Input	120 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	3000K
CRI	90
Construction	Steel construction with white ceramic-screened mitered glass

REPLACEMENT PARTS

RPL-GLA-46518-01 - Outer Glass
RPL-GLA-46518-02 - Inner Glass



WS-46518

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-46518 18"	3000K	SS Stainless Steel	25.5W	1508	590

Example: **WS-46518-SS**

•For 277V special order, add an "F" before the finish: WS-46518F-SS

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Seismic

WS-46527

PRODUCT DESCRIPTION

An open-grid structure with classic architectural styling is accented with braces and struts, creating an elaborate base with a mitered glass diffuser for a softer, flattering illumination. Groundbreaking LEDs with a superior lifespan feature excellent color rendering properties, making Seismic a refined addition to your bath or spa.

FEATURES


- 277V option available for special order.
- ACLED driverless technology
- Stainless steel construction
- White ceramic silk-screened mitered glass

SPECIFICATIONS

Rated Life	80000 Hours
Standards	ETL, cETL, Damp Location Listed, ADA
Input	120 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	3000K
CRI	90
Construction	Steel construction with white ceramic-screened mitered glass

REPLACEMENT PARTS

RPL-GLA-46527-01 - Outer Glass
RPL-GLA-46527-02 - Inner Glass



Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-46527 27"	3000K	SS Stainless Steel	39W	2537	1215

Example: **WS-46527-SS**

•For 277V special order, add an "F" before the finish: WS-46527F-SS

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Seismic

WS-46537

PRODUCT DESCRIPTION

An open-grid structure with classic architectural styling is accented with braces and struts, creating an elaborate base with a mitered glass diffuser for a softer, flattering illumination. Groundbreaking LEDs with a superior lifespan feature excellent color rendering properties, making Seismic a refined addition to your bath or spa.

FEATURES


- 277V option available for special order.
- ACLED driverless technology
- Stainless steel construction
- White ceramic silk-screened mitered glass

SPECIFICATIONS

Rated Life	80000 Hours
Standards	ETL, cETL, Damp Location Listed, ADA
Input	120 VAC, 50/60Hz
Dimming	ELV
Mounting	Can be mounted on wall in all orientations
Color Temp	3000K
CRI	90
Construction	Steel construction with white ceramic-screened mitered glass

REPLACEMENT PARTS

RPL-GLA-46537-01 - Outer Glass
RPL-GLA-46537-02 - Inner Glass



Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-46537 37"	3000K	SS Stainless Steel	53W	3637	1625

Example: **WS-46537-SS**

•For 277V special order, add an "F" before the finish: WS-46537F-SS

For custom requests please contact customs@modernforms.com