



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Two If By Sea

WS-W41912

PRODUCT DESCRIPTION


Take shelter from the storm. Like a hard rainfall on the window panes, timeless inspiration is melded with modern technology to create a stunning LED luminaire. Beautiful light diffuses through clear hammered mouth blown glass for a soft glow on all sides of this geometric wall sconce. Crafted from extruded aluminum and wet rated for outdoor use, this piece is guaranteed to make a grand first impression.

FEATURES

- ACLED driverless technology
- Clear mouth-blown hammered glass
- Down light illumination
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS065M010AFE-LO1)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Wet Location Listed, IP65, Title 24 JA8: 2019 Compliant
Input	120 VAC, 50/60Hz
Dimming	ELV: 100-10%, TRIAC: 100-10%
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, Clear, hammered, mouth-blown glass



WS-W41912

REPLACEMENT PARTS

RPL-GLA-41912 - Outer Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W41912 12"	3000K	BK Black	15W	1200	919

Example: **WS-W41912-BK**

For custom requests please contact customs@modernforms.com



Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Two If By Sea

WS-W41918

PRODUCT DESCRIPTION


Take shelter from the storm. Like a hard rainfall on the window panes, timeless inspiration is melded with modern technology to create a stunning LED luminaire. Beautiful light diffuses through clear hammered mouth blown glass for a soft glow on all sides of this geometric wall sconce. Crafted from extruded aluminum and wet rated for outdoor use, this piece is guaranteed to make a grand first impression.

FEATURES

- ACLED driverless technology
- Clear mouth-blown hammered glass
- Down light illumination
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS065M010AFE-LO1)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Wet Location Listed, IP65, Title 24 JA8: 2019 Compliant
Input	120 VAC, 50/60Hz
Dimming	ELV: 100-10%, TRIAC: 100-10%
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, Clear, hammered, mouth-blown glass



WS-W41918

REPLACEMENT PARTS

RPL-GLA-41918 - Outer Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W41918 18"	3000K	BK Black	15W	1200	965

Example: **WS-W41918-BK**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Two If By Sea

WS-W41925

PRODUCT DESCRIPTION


Take shelter from the storm. Like a hard rainfall on the window panes, timeless inspiration is melded with modern technology to create a stunning LED luminaire. Beautiful light diffuses through clear hammered mouth blown glass for a soft glow on all sides of this geometric wall sconce. Crafted from extruded aluminum and wet rated for outdoor use, this piece is guaranteed to make a grand first impression.

FEATURES

- ACLED driverless technology
- Clear mouth-blown hammered glass
- Down light illumination
- 0-10V dimming option available (special order), unit dimensions: 3.4" x 1.2" x 0.5" (model#LDS065M010AFE-LO1)

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL, Wet Location Listed, IP65, Title 24 JA8: 2019 Compliant
Input	120 VAC, 50/60Hz
Dimming	ELV: 100-10%, TRIAC: 100-10%
Color Temp	3000K
CRI	90
Construction	Aluminum hardware, Clear, hammered, mouth-blown glass



WS-W41925

REPLACEMENT PARTS

RPL-GLA-41925 - Outer Glass

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-W41925 25"	3000K	BK Black	20W	1600	1317

Example: **WS-W41925-BK**

For custom requests please contact customs@modernforms.com